



BLANKET 150SC

Novel mode of action insecticide (oxadiazine)

- Blanket 150 SC is a broad spectrum insecticide effective against various pests on a variety of crops.
- Registered on tobacco, brassicas, peas and potatoes.
- Stomach and contact action
- Control of *Lepidopteran* insects as well as many species of plant bugs, leafhoppers, weevils, beetles, Tuta absoluta and flies.

Key Benefits –

- ✓ Quick acting
- ✓ Short pre-harvest interval
- ✓ Resistance management tool
- ✓ Highly lipophilic – absorbs into waxy cuticle of leaves
- ✓ Rain-fast properties – once dried will not easily wash off
- ✓ Green label – low toxicity to operators, consumers and mammals.

Contact: Pivotal Agro-Services for further information.

Robert Mazuru / Craig Chittenden / Dzingo Mafuvadze

Tel: 0712 204 946/7, 0773 212 051, (04) 308822/25

Email: mazuru@pivotalagro.com / craig@pivotalagro.com / dzingo@pivotalagro.com

Registered by:-



BLANKET 150 SC

CROP	PEST	RATE	APPLICATION
Brassicas	Diamond back moth larvae	250 ml/ha	Start application when eggs are found or very first larvae seen. Apply at 7 – 10 day intervals as a full cover spray. Maximum of 5 sprays per season.
Maize	Fall Army Worm Maize stalk borer Chilo stalk borer	250 ml/ha	Apply at first sign of pest presence. The spray should be directed into the funnel. A second application should be applied 10-12 days after the first application.
Peas	Heliothis bollworm	250 ml/ha	Full cover spray at beginning of flowering. Repeat as necessary. Maximum of 2 sprays per season.
Potatoes	Potato tuber moth	250 ml/ha	Apply at first signs of mines on leaves. Good coverage as a full cover spray is essential. Repeat as necessary.
Tomatoes	Tuta absoluta	250 ml/ha	Apply at first sign of pest presence. Repeat at 14 days interval to a maximum of 3 sprays in alternation with DYNAMO.
Tobacco Lands (TRB No: 16-19-D-77)	Budworm	70 ml / 100 lit water (up to 300 ml/ha)	Apply 2 – 4 weeks after transplanting seedlings during the main growth phase. DO NOT apply more than three times per season. Apply soon after planting if leaf miner is present. 3 sprays, 1 week apart may be necessary
	Leaf miner	70 ml / 100 lit water	